## HYDROXYPROPYL METHYL CELLULOSE




Hydroxypropyl Methyl Cellulose HPMC KSS-16

## **Technical Data Sheet**

- CAS No: 9004-65-3 OR Chemical Name Hydroxypropyl OR methyl cellulose Hydroxypropyl Methyl Cellulose Ĥ ÒR 6 Ĥ HPMC 200 K-GX OR Hydroxypropyl Methylcellulose 870
- Tile Adhesive
- Dry Mix Mortars
- Plaster
- Detergent

## **Technical Data Sheet**

HABING KSS-16 is Hydroxy processing characteristics ( mortar, plasters, ceramic et methyl cellulose time, slip resistance, impac Feenulose HCAS 9004-65-3 is Nudericanty ageweel asson exc



designed to enhance the quality and tile adhesives and dry mix / and good water retention ,excellent open strength. HPMC (Hydroxypropyl methyl ic polymer used as an ophthalmic nponent in oral medicaments, found in a

 $\frac{n-2}{2}$ 

variety of commercial products.

Physical Form	White to Off-white Powder
Solubility	Soluble in cold water
Active Substance Content	min. 92.5
Moisture	Max. 6%
NaCl Content	Max. 1.5%
PH Value	5.0 - 7.5
Ash Content	Max. 5%
Mesh Size	99% Pass 100 micron mesh
Viscosity Brookfield RV,20 rpm sp.6	55.000 - 65.000 mPas 2.0% dry , 20 °C

Packing rookfield 2% solution

55000-85000mPa.s

Viscosity NPJ2% folution bags with polyethylene inner layer, containing 25 kgs; palletized. Max 8.0% Ash content Storage: Mesh size:

By pass 100 mesh Store it in a cool, dry place below 30°C and protected against humidity and pressing, since the

Peokids: is thermoplastic, storage time should not exceed 36 months.

Packed in multi-ply paper bags with polyethylene inner layer, containing 25 kgs; palletized.

sThe aboye data is in accordance with our knowledge, but don't absolve the clients carefully gchaskingeitablimmediatelynonshouringt exceed 36 months.

Shoetwoote the different formulation and different raw materials, please do more testing before The above data is in accordance with our knowledge, but don't absolve the clients carefully checking it all immediately on receipt.

To avoid the different formulation and different raw materials, please do more testing before DILMEN KIMYA SAN.TIC.LTD.STI.